

## Delivery Report

---

**From:** postmaster@ces.ca.gov [postmaster@ces.ca.gov]  
**Sent:** 9/21/2016 9:55:20 PM  
**To:** Carvalho, Moises@DTSC [Moises.Carvalho@dtsc.ca.gov]  
**Subject:** Delivered: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels  
**Attachments:** TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels

### Your message

**To:** Leo Brausch  
**CC:** Wilson, Patrick; Cepko, Russ P; Rykaczewski, Dave A.; Romano, Amy M.; Rob Neal; Diana Olson; Cousineau, Mark S.; Carvalho, Moises@DTSC; Shukla.Roy-Semmen@dtsc.ca.gov  
**Subject:** TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels  
**Sent:** 9/21/2016 9:55:11 PM

### Your message has been delivered to the following recipients:

Carvalho, Moises@DTSC (Moises.Carvalho@dtsc.ca.gov)

Subject: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels